UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office ASSISTANT SECRETARY OF COMMERCE AND COMMISSIONER OF PATENTS AND TRADEMARKS P.O. Box 1450 Alexandria, VA 22313-1450

January 16, 2009

KENYON & KENYON LLP 1500 K STREET N.W. SUITE 700 WASHINGTON DC 20005

Patent No.

: 7,371,462 B2

Inventor(s)

: Manabu Tsumura, et al.

Issued

: May 13, 2008

For

HARDENABLE COMPOSITION,

HARDENING PRODUCT, PROCESS FOR PRODUCING THE SAME AND LIGHT EMITTING DIODE SEALED WITH THE

HARDENING PRODUCT

Doc. No. 12218/41

To Whom It May Concern:

The Certificate of Correction issued on <u>January 20, 2009</u>, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

Applicant submitted corrections on 1050 in claim and line number format. The cofc was issued in that format. The applicant notated that the error is in Column 97, Claim 1, line 10 but the correction should be properly labeled under --Column 97, Claim 1, line 24--. The applicant notated that the error is in Column 97, Claim 4, line 2 but the correction should be properly labeled under --Column 97, Claim 4, line 39--. The applicant notated that the error is in Column 98, Claim 13, line 1 but the correction should be properly labeled under --Column 98, Claim 13, line 41--. The applicant notated that the error is in Column 100, Claim 26, line 1 but the correction should be properly labeled under --Column 100, Claim 26, line 16--. The applicant notated that the error is in Column 101, Claim 37, line 22 but the correction should be properly labeled under --Column 101, Claim 37, line 35--. The applicant notated that the error is in Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 2 but the correction should be properly labeled under --Column 101, Claim 41, line 4

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of

Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson (703) 308-9390 ext. 111 For Mary F. Diggs, Supervisor Decisions & Certificates of Correction Branch (703) 305-8309 / 703-308-9390 ext. 125